

DECLARATION OF CONFORMITY

in accordance with Section 13 of Act No. 22/1997 Coll., as amended and Section 13 of Government Regulation No. 163/2002 Coll., as amended

item	Product	unique identification code	type designation
1	Gutters	VO1ZL000020...	CSB-Gutter 20, C30/37 XF4, XD3
2		VO1ZL000060...	CSB-Gutter 60, C30/37 XF4, XD3
3		VO1ZLROVN60...	CSB-Gutter 60 straight edges, C30/37 XF4, XD3
4		VO1ZL000075...	CSB-Gutter 75, C30/37 XF4, XD3
5		VO2ZL...	CSB-Gutter slope, C45/55 XF4, XD3

	Intended use	To be fitted as a firm and impermeable bottom of surface gutters.
	Manufacturer ID No.	CS-BETON s.r.o., Velké Žernoseky 184, 41201 Litoměřice 47287586
	Conformity assessment system	pursuant to Section 8 of Conformity Verification in accordance with Annex No. 2, group 1, no. 10 of Government Regulation No. 163/2002 Coll. In accordance with Section 10 the conformity of the product was assessed pursuant to Section 5.
	Authorised entity	Technical and Test Institute for Construction Prague, SOE
	number:	204
	issued by:	STO No. 030-055150 Certificate No. 204/C5/2017/030-055152


Declaration

item	Basic characteristics	Property	Harmonised Technical Specification
1-4	Durability (Concrete strength)	Concrete C 30/37	ČSN EN 12390-3
5	Durability (Concrete strength)	Concrete C 45/55	ČSN EN 12390-3
1-5	Deflection strength	Class 1S	ČSN EN 1340
1-5	Concrete climate resilience	XF4	ČSN EN 260 + A2
		method A	ČSN 73 1326
1-5	Dimensional tolerances	length: ± 4mm	ČSN 73 0212-5 ČSN EN 13369
		width: ± 3mm	
		height: ± 3mm	
		gutter depth: ± 3mm	
1-5	Reaction to fire	Třída A1	ČSN EN 13501-1 + A1

The manufacturer a certified quality management system in place pursuant to the requirements of ČSN EN ISO 9001, ČSN EN ISO 14001, ČSN ISO 45001 and ČSN EN ISO 50001, which ensures that all products placed on the market are in compliance with the technical documentation.

Velké Žernoseky

Date: 17.03.2025


Ing. Josef Matějka
CEO